



## Staggered jumper; insulated; from 1 to 2; Spacing: 5 mm; suitable for 2-conductor female plugs

Item No.: 780-452



Staggered jumper; insulated; from 1 to 2; Spacing: 5 mm; suitable for 2-conductor female plugs

### Marking

RoHS ✓  
Compliant

### Business data

|                      |               |
|----------------------|---------------|
| Supplier             | WAGO          |
| Item no.             | 780-452       |
| GTIN / EAN           | 4044918270830 |
| Content              | 1             |
| Order amount         | 25            |
| Customer item number |               |

### Notes

### Technical data

#### Miscellaneous

|                                      |            |
|--------------------------------------|------------|
| Color                                | gray       |
| Rated voltage (III / 3) [V]          | 400 [V]    |
| Rated impulse voltage (III / 3) [kV] | 6 [kV]     |
| Rated current [A]                    | 24 [A]     |
| Fire load [MJ]                       | 0.008 [MJ] |
| Weight [g]                           | 1.29 [g]   |

Printview: Staggered jumper; insulated; from 1 to 2; Spacing: 5 mm; suitable for 2-conductor female plugs -  
Item No.: 780-452

---

**Technical data**

|              |                           |
|--------------|---------------------------|
| <i>Width</i> | <i>4.5 mm / 0.177 in.</i> |
| <i>Depth</i> | <i>6 mm / 0.236 in.</i>   |

Printview: Staggered jumper; insulated; from 1 to 2; Spacing: 5 mm; suitable for 2-conductor female plugs -  
Item No.: 780-452

---

## Images & drawings





#### Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.