




1

2

3

4

5



Shell:ABS Resin.


How To Order:

5507-XXG Gray Color


5507-XXB Black Color

5507-XXI Ivory Color


5507-XXC Chromate Plated




2PCS




2PCS




2PCS



2PCS



2PCS



2PCS

RoHS Compliant

DRAWN:
ANNA

GENERAL TOLERANCE:

.X=±0.5

.XX=±0.2

**Neltron Industrial Co., Ltd.**CHECKED:
Jerry Chen

UNIT: mm

DESCRIPTION:

D-SUB Hood 9P Lock Up Short Screw Type

SIZE

APPROVAL:
RORY

SCALE: 1 : 1

PART NO:

5507-09X

A4

REV	DATE	FILE	BY
G	18-JAN-2022	新增圖面 09P,15P,25P,37P	ANNA
A	14-JAN-2009		Allen

PROJECTION:

A

B

C

D

1

2

3

4

5

Shell:ABS Resin.





How To Order:

5507-XXG Gray Color

5507-XXB Black Color


5507-XXI Ivory Color

5507-XXC Chromate Plated




4#-40

2PCS




4#-40

2PCS




4#-40

2PCS




2PCS



4#-40

2PCS



4#-40

2PCS

RoHS Compliant

DRAWN:
ANNAGENERAL TOLERANCE:
.X=±0.5
.XX=±0.2**Neltron Industrial Co., Ltd.**CHECKED:
Jerry Chen

UNIT: mm

DESCRIPTION:
D-SUB Hood 15P Lock Up Short Screw Type

SIZE

G 18-JAN-2022 新增圖面 09P,15P,25P,37P ANNA

SCALE: 1 : 1

A 14-JAN-2009 Allen

APPROVAL:
RORY

SHEET: 2 / 4

PART NO:

5507-15X

A4

REV DATE FILE BY

PROJECTION:

A

B

C

D

1

2

3

4

5

Shell:ABS Resin.


How To Order:

5507-XXG Gray Color

5507-XXB Black Color

5507-XXI Ivory Color

5507-XXC Chromate Plated







A


B

C


D




2PCS




2PCS




2PCS



2PCS



2PCS



2PCS

RoHS Compliant

				DRAWN: ANNA	GENERAL TOLERANCE: .X=±0.5 .XX=±0.2	Neltron Industrial Co., Ltd.	DESCRIPTION: D-SUB Hood 25P Lock Up Short Screw Type	SIZE A4
				CHECKED: Jerry Chen	UNIT: mm			
G	18-JAN-2022	新增圖面 09P,15P,25P,37P	ANNA	APPROVAL: RORY	SCALE: 1 : 1	PART NO: 5507-25X		
A	14-JAN-2009		Allen		SHEET: 3 / 4			
REV	DATE	FILE	BY		PROJECTION:			



1

2

3

4

5



Shell:ABS Resin.



HOW TO ORDER:

5507-XXG GRAY COLOR


5507-XXB BLACK COLOR

5507-XXI IVORY COLOR


5507-XXC CHROMATE PLATED




2PCS




2PCS




2PCS



2PCS




2PCS



2PCS

RoHS Compliant

				DRAWN: ANNA	GENERAL TOLERANCE: .X=±0.5 .XX=±0.2	 Neltron Industrial Co., Ltd.	
				CHECKED: JERRY	UNIT: MM		DESCRIPTION: D-SUB Hood 37P Lock Up Short Screw Type
G	18-JAN-2022	新增圖面09P,15P,25P,37P	ANNA	APPROVAL: RORY	SCALE: 1:1	PART NO: 5507-37X	A4
A	14-JAN-2009		Allen		SHEET: 4/4		
REV	DATE	FILE	BY		PROJECTION: 