



End module

Item No.: 750-600



End module

Marking

RoHS
Compliant

Business data

Supplier	WAGO
Item no.	750-600
GTIN / EAN	4045454073985
Content	1
Order amount	1
Customer item number	

Notes

Item description: After the fieldbus node is assembled with the correct buscoupler and I/O modules, the end module is snapped onto the assembly. It completes the internal data circuit and ensures correct data flow.

Technical data


Miscellaneous

Color	light gray
Conformity marking	CE
Degree of protection	IP20
Fire load [MJ]	1.083 [MJ]
Weight [g]	32.298 [g]

Technical data	
<i>Width</i>	<i>12 mm / 0.472 in.</i>
<i>Height</i>	<i>69.8 mm / 2.748 in.</i>
<i>Height from upper-edge of DIN-35 rail</i>	<i>62.6 mm / 2.465 in.</i>
<i>Depth</i>	<i>100 mm / 3.937 in.</i>
<i>Storage temperature</i>	<i>-25 °C ... +85 °C</i>
<i>Relative air humidity (no condensation) [%]</i>	<i>95 [%]</i>
<i>Type of mounting</i>	<i>DIN-35 rail</i>
<i>Operating temperature</i>	<i>0 °C ... +55 °C</i>
<i>EMC emission of interference</i>	<i>acc. to EN 61000-6-4, marine applications</i>
<i>EMC immunity to interference</i>	<i>acc. to EN 61000-6-2, marine applications</i>
<i>Shock resistance</i>	<i>acc. to IECacc. to IEC 60068-2-27</i>
<i>Vibration resistance</i>	<i>acc. to IECPer IEC 60068-2-6</i>

Images & drawings





Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.